






Instrucciones de uso
52 0557

Fuente de evaporación
21 2148
V01,V02





Pos.	Danfoss		
	TLES 4 K		
1	14 1149		
2			
3	15 1055		
4			
5	15 0760		
6	15 1072		
7			
8	29 7410		
9	05 0166		
10	15 2222		
11	20 9471		
12			

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES				
Verdichter/Compressor/Compresseur		Danfoss		
Typ/Type		TLES 4 K		
Förderleistung/Delivery/Débit		l/h	695	
Anlaufstrom/Starting current/Cour de démarrage		A	6,9	
Widerstand/Resistance/Résistance		Ha/main/prin. Ω	29,0	
		Hi/aux Ω	19,0	
Temp.-Regler/Thermostat		EMS		
Typ/Type		TF57		
Reglerstellung/Position		kalt warm		
Schaltwerte/Switching values/		„ein“ $^{\circ}\text{C}$	+1,0	+10,5
Valeurs de commutation		„aus“	-12,0	+2,5
		(„abtauen“ od.) „alarm“		
Füllmenge/Fill.quantity/Charge		R600a	g	*
Anschlußwert/Conn.load/Puiss. connectée		W	50	
Heizung/Heater/Chauffage				
Widerstand/Resistance/Résistance		Ω		
Leistung/Power/Puissance		W		
Ventilator/Blower/Ventilateur				
Widerstand/Resistance/Résistance		Ω		
Schaltuhr/Timer/Minuterie de contact				
Widerstand/Resistance/Résistance		Ω		
Magnetventil/Magnetic valve/Electrovanne				
Widerstand/Resistance/Résistance		Ω		
Spannung/Voltage/Tension		V		

* siehe Typenschild