



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 6/9/2019
Version: 12
Language: en-GB,IE
Date of print: 1/9/2020

Cleaning tablets for fully automatic coffee machines

Material number 311969/311970/311973/311560/311769/311561/311940/3

Page: 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Cleaning tablets for fully automatic coffee machines

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Cleaning agent

1.3 Details of the supplier of the safety data sheet

Company name: IBEDA-CHEMIE Klaus P. Christ GmbH

Street/POB-No.: Am Eichelgärtchen 32

Postal Code, city: 56283 Halsenbach

Germany

E-mail: info@ibeda-chemie.com

Telephone: +49 (0)6747-9501-0

Telefax: +49 (0)6747-9501-11

Department responsible for information:

Herr Dohmann, Telephone: +49 (0)6747-9501-16 (Only available during office hours.)

Additional information: Source of supply, other:

BSH Home Appliances Ltd.

Customer Service

Grand Union House

Old Wolverton Road

Wolverton

Milton Keynes MK12 5PT

E-mail: mks-spares@bshg.com

Telephone: 0344 892 8921

Calls are charged at the basic rate, please check with your telephone service provider for exact charges.

1.4 Emergency telephone number

Great Britain:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Skin Irrit. 2; H315 Causes skin irritation.

Eye Dam. 1; H318 Causes serious eye damage.

Cleaning tablets for fully automatic coffee machines

Material number 311969/311970/311973/311560/311769/311561/311940/3

Page:

2 of 10

2.2 Label elements**Labelling (CLP)**

Signal word:

Danger

Hazard statements:

H315

Causes skin irritation.

H318

Causes serious eye damage.

Precautionary statements:

P102

Keep out of reach of children.

P280

Wear protective gloves and eye protection.

P302+P352

IF ON SKIN: Wash with plenty of water/soap.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313

If skin irritation occurs: Get medical advice/attention.

Special labelling

Text for labelling:

Contains Potassium peroxymonosulfate.

Labelling for contents according to regulation (EC) No 648/2004, annex VII:

5-15% phosphonates

15-30% oxygen-based bleaching agents

2.3 Other hazards

May be harmful if swallowed. May intensify fire; oxidiser.

Contains phosphonates. May contribute to the eutrophication of water supplies.

Results of PBT and vPvB assessment:

No data available

SECTION 3: Composition / information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Mixture of inorganic salts with organic materials

Cleaning tablets for fully automatic coffee machines

Material number 311969/311970/311973/311560/311769/311561/311940/3

Page:

3 of 10

Hazardous ingredients:

Ingredient	Designation	Content	Classification
EC No. 207-838-8 CAS 497-19-8	Sodium carbonate	20 - 30 %	Eye Irrit. 2; H319.
REACH 01-2119457268-30-xxxx EC No. 239-707-6 CAS 15630-89-4	Sodium percarbonate	< 25 %	Ox. Sol. 3; H272. Acute Tox. 4; H302. Eye Dam. 1; H318.
REACH 01-2119457026-42-xxxx EC No. 201-069-1 CAS 77-92-9	Citric acid, anhydrous	< 10 %	Eye Irrit. 2; H319.
EC No. 274-778-7 CAS 70693-62-8	Potassium peroxydisulfate	< 5 %	Met. Corr. 1; H290. Acute Tox. 4; H302. Skin Corr. 1B; H314. Aquatic Chronic 3; H412.

Full text of H- and EUH-statements: see section 16.

Additional information: Contains polyethylene glycol (CAS 25322-68-3). The maximum workplace exposure limits are, where necessary, listed in section 8.

SECTION 4: First aid measures**4.1 Description of first aid measures**

In case of inhalation: Provide fresh air. In case of respiratory difficulties seek medical attention.

Following skin contact: Remove residues with water. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently seek the immediate attention of an ophthalmologist.

After swallowing: Never give anything by mouth to an unconscious person. Rinse mouth and drink large quantities of water.
Consult physician.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye damage.
Causes skin irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Extinguishing media which must not be used for safety reasons:

Full water jet

Cleaning tablets for fully automatic coffee machines

Material number 311969/311970/311973/311560/311769/311561/311940/3

Page:

4 of 10

5.2 Special hazards arising from the substance or mixture

Fires in the immediate vicinity may cause the development of dangerous vapours.
In case of fire may be liberated: Sodium compounds, sulphur oxides, phosphorus compounds, carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

Hazchem-Code: -

Cool endangered containers with water spray and, if possible, remove from danger zone.
Use water spray jet to knock down vapours. Do not inhale dust or gases/vapours generated by fire. Fire water reacts alkaline. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin, eyes, and clothing.

Avoid generation of dust. Do not breathe dust.

Wear personal protection equipment.

In case of dust formation: Ensure adequate ventilation, especially in confined areas.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

6.3 Methods and material for containment and cleaning up

Avoid generation of dust.

Take up mechanically, placing in appropriate containers for disposal.

Wash spill area with plenty of water.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Advices on safe handling: Avoid contact with skin, eyes, and clothing.

Avoid generation of dust. Do not breathe dust. Wear appropriate protective equipment.

When using do not eat, drink or smoke.

In case of dust formation: Provide adequate ventilation, and local exhaust as needed.

Precautions against fire and explosion:

Usual measures for fire prevention.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Store container tightly closed in a dry and cool place.

Hints on joint storage:

Do not store together with highly inflammable or combustible materials.

Keep away from food, drink and animal feedingstuffs.

Cleaning tablets for fully automatic coffee machines

Material number 311969/311970/311973/311560/311769/311561/311940/3

Page:

5 of 10

7.3 Specific end use(s)

Cleaning agent

SECTION 8: Exposure controls/personal protection**8.1 Control parameters**

Occupational exposure limit values:

Type	Limit value
Great Britain: WEL-TWA	10 mg/m ³ (Dust limit value, inhalable fraction)
Great Britain: WEL-TWA	4 mg/m ³ (Dust limit value, respirable fraction)
Ireland: 8 hours	10 mg/m ³ (Dust limit value, inhalable fraction)
Ireland: 8 hours	4 mg/m ³ (Dust limit value, respirable fraction)

8.2 Exposure controls

Provide adequate ventilation. Dust should be exhausted directly at the point of origin.

Personal protection equipment**Occupational exposure controls**

Respiratory protection:	In case of dust formation: Dust mask/Particulates filter P2 according to EN 143.
Hand protection:	In case of handling larger quantities: Protective gloves according to EN 374. Glove material: Nitrile rubber or butyl caoutchouc (butyl rubber). Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	In case of handling larger quantities: Tightly sealed goggles according to EN 166.
Body protection:	Wear suitable protective clothing.
General protection and hygiene measures:	Avoid contact with skin, eyes, and clothing. Change contaminated clothing. Do not breathe dust. Wear appropriate protective equipment. Have eye wash bottle or eye rinse ready at work place. After work, wash hands and face. When using do not eat, drink or smoke.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Appearance:	Form: solid, Tablets Colour: white
Odour:	odourless
Odour threshold:	No data available
pH:	at 10%: 9 - 10
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	No data available
Evaporation rate:	No data available

Cleaning tablets for fully automatic coffee machines

Material number 311969/311970/311973/311560/311769/311561/311940/3

Page:

6 of 10

Flammability:	No data available
Explosion limits:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Density:	approx. 2 g/cm ³
Water solubility:	soluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, kinematic:	No data available
Explosive properties:	No data available
Oxidizing characteristics:	No data available

9.2 Other information

Additional information: No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

Product is hygroscopic.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

humidity. Excessive heating. Avoid generation of dust.

10.5 Incompatible materials

Strong acids and alkalis

10.6 Hazardous decomposition products

In case of fire may be liberated: Sodium compounds, sulphur oxides, phosphorus compounds, carbon monoxide and carbon dioxide.

Thermal decomposition: No data available

Cleaning tablets for fully automatic coffee machines

Material number 311969/311970/311973/311560/311769/311561/311940/3

Page:

7 of 10

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

ATEmix (calculated): 2000 mg/kg < ATE ≤ 5000 mg/kg.

Information about Potassium peroxymonosulfate:

LD50 Rat, oral: 1200 - 2050 mg/kg.

Harmful if swallowed.

Information about sodium percarbonate:

LD50 Rat, oral: 1034 - 2020 mg/kg.

Harmful if swallowed.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Skin Irrit. 2; H315 = Causes skin irritation.

Serious eye damage/irritation: Eye Dam. 1; H318 = Causes serious eye damage.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

Symptoms

In case of ingestion:

Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

SECTION 12: Ecological information**12.1 Toxicity**

Aquatic toxicity: Information about Potassium peroxymonosulfate:

Bacterial toxicity:

EC50 *Pseudomonas putida*: 179 mg/L/18h.

Daphnia toxicity:

NOEC *Daphnia magna* (Big water flea): 1.8 mg/L/24h (OECD 202).

LC50 *Daphnia magna* (Big water flea): 5.3 mg/L/24h (OECD 202).

Fish toxicity:

NOEC *Danio rerio* (zebrafish): 32 mg/L/96h (OECD 203).



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 6/9/2019
Version: 12
Language: en-GB,IE
Date of print: 1/9/2020

Cleaning tablets for fully automatic coffee machines

Material number 311969/311970/311973/311560/311769/311561/311940/3

Page: 8 of 10

12.2 Persistence and degradability

Further details: The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:
No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information: Contains phosphonates. May contribute to the eutrophication of water supplies.
Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 20 01 29* = Detergents containing hazardous substances
* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.
Smaller amounts: Dilute with plenty of water.

Contaminated packaging

Recommendation: Waste key number 150101 - paper and cardboard packaging
Waste key number 150102 - Plastic packaging: PVC/PVDC
Waste key number 150104 - metallic packaging: Aluminium

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR:
not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:
Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:
not applicable



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 6/9/2019
Version: 12
Language: en-GB,IE
Date of print: 1/9/2020

Cleaning tablets for fully automatic coffee machines

Material number 311969/311970/311973/311560/311769/311561/311940/3

Page: 9 of 10

14.4 Packing group

ADR/RID, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Marine pollutant:

no

14.6 Special precautions for user

ADR, ADN, IMDG, IATA: No dangerous good in sense of these transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code:

-

No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

H272 = May intensify fire; oxidiser.

H290 = May be corrosive to metals.

H302 = Harmful if swallowed.

H314 = Causes severe skin burns and eye damage.

H315 = Causes skin irritation.

H318 = Causes serious eye damage.

H319 = Causes serious eye irritation.

H412 = Harmful to aquatic life with long lasting effects.

Cleaning tablets for fully automatic coffee machines

Material number 311969/311970/311973/311560/311769/311561/311940/3

Page:

10 of 10

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
AS/NZS: Australian Standards/New Zealand Standards
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC50: Effective Concentration 50%
EC: European Community
EN: European Standard
EU: European Union
IATA: International Air Transport Association
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
LC50: Median lethal concentration
LD50: Lethal dose 50%
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
NOEC: No Observed Effect Concentration
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
vPvB: Very persistent and very bioaccumulative

Reason of change: Changes in section 8: Exposure limit values
General revision

Date of first version: 11/12/2013

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<http://sumdat.net/0x2nwe9f>

