


2NU6412-D1
2NU6421-D2
2NU6422-D3
2NU6423-D4

2NU6424-D5
2NU6425-D6
2NU6426-D7
2NU6427-D8









2NU6428-D9
2NU6430-D10
2NU6431-D11
2NU6432-D12

2NU6501-D13
2NU6502-D14
2NU6503-D15
2NU6504-D16



05 1148
WF/PTC

Strömungsschalter
ohne Rohrstück
05 4769
42 l/min.
D1...D12
05 4770
54 l/min.
D13...D16



Gebrauchsanweisung
51 0840

Steuerung
Aufladeregler 2NR9 141
Entladeregler 2NR9 142
siehe 2NR1 104

Heizungskompakt-
installation
siehe 2NU6 910

31 0006
Silicon-Dichtmasse
Tube 70 gr.


- 1) 20 0810
2000 W
D13...D16
20 0919
1500 W
D13...D16
- 2) 20 0694
1000W
D1...D12
20 0695
1500W
D1...D12


2NU6412-D1
2NU6421-D2
2NU6422-D3
2NU6423-D4

2NU6424-D5
2NU6425-D6
2NU6426-D7
2NU6427-D8

2NU6428-D9
2NU6430-D10
2NU6431-D11
2NU6432-D12

2NU6501-D13
2NU6502-D14
2NU6503-D15
2NU6504-D16





Steuerung

Aufladeregler 2NR9 141
Entladeregler 2NR9 142
siehe 2NR1 104