





Kullanma kilavuzu
 59 4879
 (TR)

- 1) 16 5552
 2) 42 4801
 V01
 42 8184
 V02,V03
 3) 17 9425
 V01,V02
 42 8569
 V03
 4) 17 9431
 V01,V02
 42 9410
 V03

43 4938




48 0527

48 0527



47 3886


47 1189



49 0705



2) 1)
2) 1)
2) 1)
2) 1)




42 1330

42 1329

42 1330

44 0983




44 0983



43 5406




44 0985



35 3095

16 6484

17 1319




49 0705




24 2286

24 1828


43 8066



43 5048



1) 44 1144
2) 35 4166



Pos.	Matsushita		
	DD77C		
1	14 2137		
2	16 3427		
3	35 4158		
4	17 1318		
5	49 4670		
6	17 1519		
7	18 1014		
8	18 7958		
9			
10			
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BILGILER			
Verdichter/Compressor/Kompresör Typ/Type/Tip Förderleistung/Delivery/Verim/h Anlaufstrom/Starting current/Giris akimi Widerstand/Resistance/Rezistans Ha/ Hi/aux.	A Ohm	Matsushita DD77C	
Temp.Reyler/Thermostat/Termostat Typ/Type/Tip Reglerstellung/Position/Termostat pozisyonu Schaltwerte/Actua kapama degerleri Valeurs de commutation/Termostat degeri (...abtaven' od)	..ein/acma °C ..aus"/kapama ..alarm'	+3.5 +3.5 -31 -20	
Füllmenge/Fill. quantity/ Dolum miktarı	R600a g	*	
Anschlusswert/Comm. load/Giris gucu	W	*	
Heizung/Heater/Rezistans Widerstand/Resistance/Direnc Leistung/Power/Guc	Ohm W		
Ventilador/Blower/Vantilatör Widerstand/Resistance/Rezistans	Ohm		
Magnetventil/Magnetic valve/Manyetik valf Widerstand/Resistance/Rezistans Spannung/Voltage/Gerilim	Ohm V		
Temp.Reyler/Thermostat/Termostat			

* Siehe Typenschild/Mamul etiketine bakınız