






Kullanma kilavuzu
52 9449

- 1) 17 1312
- 2) 17 1304
- 3) 36 9815
- 4) 48 9131
- 5) 16 5552
- 6) 36 9905
- 7) 41 8128
- 8) 36 6902
- 9) 17 1508
- 10) 36 9816
- 11) 36 3150
- V01
- 43 2093
- V02, V03, V04
- 12) 18 8191
- V01, V02, V03
- 42 0644
- V04



- 1) 16 6484
- 2) 17 1321
- 3) 35 5959
- 4) 35 5835
- 5) 35 4789
- 6) 48 0523
- 7) 36 0844
- 8) 36 0840
- 9) 36 0841
- 10) 48 0522
- 11) 16 5557
- 12) 17 1319
- 13) 36 3145
- 14) 26 9013
- V01,V02
- 48 9738
- V03,V04
- 15) 21 9829
- V01,V02,V03
- 47 1143
- V04
- 16) 23 9386
- V01,V02,V03
- 24 0712
- V04



Pos.	Danfoss		
	NLE15KTK		
1	14 2175		
2	41 8170		
3	35 4583		
4	16 3427		
5	26 5327		
6	17 1318		
7	17 1519		
8	18 1014		
9	16 5570		
10	17 4093		
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BILGILER				
Verdichter/Compressor/Kompresör Typ/Type/Tip Förderleistung/Delivery/Verim/h Anlaufstrom/Starting current/Giris akimi Widerstand/Resistance/Rezistans Ha/ Hi/aux.		Danfoss NLE15KTK 8		
Temp.Reyler/Thermostat/Termostat Typ/Type/Tip Reglerstellung/Position/Termostat pozisyonu Schaltwerte/Actua kapama degerleri Valeurs de commutation/Termostat degeri (..abtaven' od)		Elektronisch ..ein/acma °C ..aus"/kapama ..alarm'		
Füllmenge/Fill. quantily/ Dolum miktarı	R600a	g	60	
Anschlusswert/Comm. load/Giris gucu	W	215		
Heizung/Heater/Rezistans Widerstand/Resistance/Direnc Leistung/Power/Guc	Ω W	Verdampfer 267	Ablaufrinne 81	Klappe 4
Ventilador/Blower/Vantilatör Widerstand/Resistance/Rezistans	Ω			
Magnetventil/Magnetic valve/Manyetik valf Widerstand/Resistance/Rezistans Spannung/Voltage/Gerilim	Ω V			
Temp.Reyler/Thermostat/Termostat				

* Siehe Typenschild/Mamul etiketine bakınız