






Kullanma kilavuzu
58 7171

- 1) 17 1312
- 2) 42 1516
- 3) 36 9815
- V01,V02,V03
- 43 8726
- V04
- 4) 48 9131
- 5) 16 5552
- 6) 36 9905
- 7) 41 8128
- 8) 36 6902
- V01,V02,V03
- 9) 17 1508
- 10) 42 1601
- 11) 42 1602
- 12) 42 2142
- 13) 36 6309
- V01
- 43 7166
- V02,V03
- 14) 36 9816
- V01,V02,V03



- 1) 49 0669
- 2) 49 0670
- 3) 26 9013
- 4) 06 0083
- 5) 35 4789
- 6) 36 0844
- 7) 36 0840
- 8) 17 1319
- 9) 35 5835
- 10) 49 0671
- 11) 47 1228
- 12) 24 0796



	V01,V02	V03	
Pos.	Danfoss NLE15KTK2		
1	14 2207		
2	17 4093	—	
3	35 4583		
4	16 3427		
5	49 1201		
6	17 1318		
7	17 1519		
8	18 1014		
9	16 5570		
10			
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BİLGİLER				
Verdichter/Compressor/Kompresör		Danfoss		
Typ/Type/Tip		NLE15KTK2		
Förderleistung/Delivery/Verim/h		8		
Anlaufstrom/Starting current/Giris akimi		A		
Widerstand/Resistance/Rezistans Ha/		Ω		
Hi/aux.				
Temp.Reyler/Thermostat/Termostat		Elektronisch		
Typ/Type/Tip				
Reglerstellung/Position/Termostat pozisyonu				
Schaltwerte/Acma kapama degerleri		..ein/acma °C		
Valeurs de commutation/Termostat degeri		..aus"/kapama		
(..abtaven' od)		..alarm'		
Füllmenge/Fill. quantily/ Dolum miktarı		R600a	g	60
Anschlusswert/Comm. load/Giris gucu		W	215	
Heizung/Heater/Rezistans		Verdampfer	Ablaufrinne	Klappe
Widerstand/Resistance/Direnc		Ω		
Leistung/Power/Guc		W	267	81
Verdampfer				4
Ventilador/Blower/Vantilatör				
Widerstand/Resistance/Rezistans		Ω		
Magnetventil/Magnetic valve/Manyetik valf				
Widerstand/Resistance/Rezistans		Ω		
Spannung/Voltage/Gerilim		V		
Temp.Reyler/Thermostat/Termostat				

* Siehe Typenschild/Mamul etiketine bakınız