




Kullanma kilavuzu

52 9449

- 1) 17 1312
- 2) 17 1304
- 3) 36 3137

V01,V02,V03,V04

V05

36 9815

V06

- 4) 48 2032
V01,V02

48 4350

V03,V04,V05,V06

- 5) 17 3866
6) 36 3135

V01,V02,V03,V04

V05

36 9905

V06

- 7) 18 8198

- 8) 36 3154

V01

36 6902

V02,V03,V04,V05

V06

- 9) 17 1508


- 10)36 3141

V01,V02,V03,V04


V05

36 9816

V06



- 1) 17 3862
- 2) 17 3856
- 3) 26 9013
- 4) 21 6837
- 5) 17 3849
- 6) 17 3850
- 7) 17 3880
- 8) 48 0522
- 9) 48 0523
- 10) 36 3145



Pos.	Danfoss		
	NLE15KTK		
1	14 2175		
2	18 4389		
3	35 4583		
4	16 3427		
5	26 5327		
6	17 1318		
7	17 1519		
8	18 1014		
9	41 6399		
10			
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BILGILER				
Verdichter/Compressor/Kompresör Typ/Type/Tip Förderleistung/Delivery/Verim/h Anlaufstrom/Starting current/Giris akimi Widerstand/Resistance/Rezistans Ha/ Hi/aux.		Danfoss NLE15KTK 8		
Temp. Reyler/Thermostat/Termostat Typ/Type/Tip Reglerstellung/Position/Termostat pozisyonu Schaltwerte/Actma kapama degerleri Valeurs de commutation/Termostat degeri (...abtaven' od)		Elektronisch ..ein/acma °C ..aus"/kapama ..alarm'		
Füllmenge/Fill. quantity/ Dolum miktarı	R600a	g	60	
Anschlusswert/Comm. load/Giris gucu	W	215		
Heizung/Heater/Rezistans Widerstand/Resistance/Direnc Leistung/Power/Guc	Ω W	Verdampfer 267	Ablaufrinne 81	Klappe 4
Ventilador/Blower/Vantilatör Widerstand/Resistance/Rezistans	Ω			
Magnetventil/Magnetic valve/Manyetik valf Widerstand/Resistance/Rezistans Spannung/Voltage/Gerilim	Ω V			
Temp. Reyler/Thermostat/Termostat				

* Siehe Typenschild/Mamul etiketine bakınız