







Kullanma kilavuzu
52 7932
(TR)

- 1) 48 0752
- 2) 18 2057
- 3) 36 1029
V01,V02
36 1030
V03
- 4) 48 0753
V01,V02
48 4112
V03
- 5) 48 0754
V01,V02
48 4111
V03
- 6) 36 1026
V01,V02
36 7046
V03



- 1) 35 4789
- 2) 26 7022
- 3) 26 6534
- 4) 26 7023
- 5) 36 1028



	V01	V02,V03	
Pos.	Danfoss	MATS	
	NL9FT	DD77C	
1	14 1811	14 2137	
2	16 5570	18 7958	
3	16 3427		
4	35 4583		
5	17 1519		
6	18 1014		
7	17 1318		
8			
9			
10			
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BILGILER			
	V01	V02,V03	
Verdichter/Compressor/Kompresör	Danfoss	Matsuchita	
Typ/Type/Tip	NL9FT	DD77C15GAX5	
Förderleistung/Delivery/Verim:h			
Anlaufstrom/Starting current/Giris akimi	A	12.8	9.52
Widerstand/Resistance/Rezistans Ha/	Ohm	8.9	10.70
Hi/aux.		12	41.6
Temp.Reyler/Thermostat/Termostat	RANCO		
Typ/Type/Tip	K50	K60	
Reglerstellung/Position/Termostat pozisyonu			
Schaltwerte/Actua kapama degerleri	..ein/acma °C		
Valeurs de commutation/Termostat degeri	..aus"/kapama		
(..abtaven' od)	..alarm'		
Füllmenge/Fill. quantily/ Dolum miktarı	R134a	g	*
Anschlusswert/Comm. load/Giris gucu	W	*	213
Heizung/Heater/Rezistans			
Widerstand/Resistance/Direnc	Ohm		
Leistung/Power/Guc	W		
Ventilador/Blower/Vantilatör			
Widerstand/Resistance/Rezistans	Ohm		
Magnetventil/Magnetic valve/Manyetik valf			
Widerstand/Resistance/Rezistans	Ohm		
Spannung/Voltage/Gerilim	V		
Temp.Reyler/Thermostat/Termostat			

* Siehe Typenschild/Mamul etiketine bakiniz