





Kullanma kilavuzu
58 2131

V01,V02,V03,V04

58 5895

V05
(TR)

1) 16 3581

2) 18 9708

3) 16 3390

V01,V02,V03,V04

41 9942


V05

4) 26 9587


V01,V02,V03,V04

49 0178

V05



- 1) 35 4789
- 2) 26 7022
- 3) 26 6534
- 4) 26 7023
- 5) 36 1028



Pos.	V01,2,4,5	V03	
	MATS	Danfoss	
1	DD77C	NL9FT	
2	14 2137	14 1811	
3	18 7958	16 5570	
4	16 3427		
5	35 4583		
6	17 1519		
7	18 1014		
8	17 1318		
9	48 3071	26 5327	
10			
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BILGILER			
	V01,2,4,5	V03	
Verdichter/Compressor/Kompresör	Matsushita	Danfoss	
Typ/Type/Tip	DD77C15GAX5	NL9FT	
Förderleistung/Delivery/Verim l/h			
Anlaufstrom/Starting current/Giris akimi	A	9.52	
Widerstand/Resistance/Rezistans Ha/	Ohm	10.70	
Hi/aux.	Ohm	41.6	
Temp.Reyler/Thermostat/Termostat	RANCO		
Typ/Type/Tip	K60		
Reglerstellung/Position/Termostat pozisyonu			
Schaltwerte/Actua kapama degerleri	..ein/acma °C		
Valeurs de commutation/Termostat degeri	..aus"/kapama		
(..abtaven' od)	..alarm'		
Füllmenge/Fill. quantily/ Dolum miktarı	R134a	g	*
Anschlusswert/Comm. load/Giris gucu	W	213	
Heizung/Heater/Rezistans			
Widerstand/Resistance/Direnc	Ohm		
Leistung/Power/Guc	W		
Ventilador/Blower/Vantilatör			
Widerstand/Resistance/Rezistans	Ohm		
Magnetventil/Magnetic valve/Manyetik valf			
Widerstand/Resistance/Rezistans	Ohm		
Spannung/Voltage/Gerilim	V		
Temp.Reyler/Thermostat/Termostat			

* Siehe Typenschild/Mamul etiketine bakınız