





Kullanma kilavuzu
58 2131

V01,V02,V03,V04

58 5895

V05
(TR)

1) 16 3581

2) 18 9708

3) 16 3390

V01,V02,V03,V04

41 9942


V05


4) 26 9587

V01,V02,V03,V04

49 0178

V05





Pos.	V01,2,4,5	V03	
	MATS	Danfoss	
	DD77C	NL9FT	
1	14 2137	14 1811	
2	18 7958	16 5570	
3	16 3427		
4	35 4583		
5	17 1519		
6	18 1014		
7	17 1318		
8	48 3071	26 5327	
9			
10			
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BILGILER			
	V01,2,4,5	V03	
Verdichter/Compressor/Kompresör	Matsushita	Danfoss	
Typ/Type/Tip	DD77C15GAX5	NL9FT	
Förderleistung/Delivery/Verim l/h			
Anlaufstrom/Starting current/Giris akimi	A	9.52	
Widerstand/Resistance/Rezistans Ha/	Ohm	10.70	
Hi/aux.	Ohm	41.6	
Temp.Reyler/Thermostat/Termostat	RANCO		
Typ/Type/Tip	K60		
Reglerstellung/Position/Termostat pozisyonu			
Schaltwerte/Actua kapama degerleri	..ein/acma °C		
Valeurs de commutation/Termostat degeri	..aus"/kapama		
(..abtaven' od)	..alarm'		
Füllmenge/Fill. quantily/ Dolum miktarı	R134a	g	*
Anschlusswert/Comm. load/Giris gucu	W	213	
Heizung/Heater/Rezistans			
Widerstand/Resistance/Direnc	Ohm		
Leistung/Power/Guc	W		
Ventilador/Blower/Vantilatör			
Widerstand/Resistance/Rezistans	Ohm		
Magnetventil/Magnetic valve/Manyetik valf			
Widerstand/Resistance/Rezistans	Ohm		
Spannung/Voltage/Gerilim	V		
Temp.Reyler/Thermostat/Termostat			

* Siehe Typenschild/Mamul etiketine bakiniz