








1) 77





|      |          |  |  |
|------|----------|--|--|
| Pos. | Danfoss  |  |  |
|      | TLES 7 K |  |  |
| 1    | 60       |  |  |
| 2    | 61       |  |  |
| 3    | 62       |  |  |
| 4    | 63       |  |  |
| 5    | 64       |  |  |
| 6    | 65       |  |  |
| 7    |          |  |  |
| 8    |          |  |  |
| 9    |          |  |  |
| 10   |          |  |  |
| 11   |          |  |  |
| 12   |          |  |  |

| TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES |               |            |      |
|--------------------------------------------------------|---------------|------------|------|
| Verdichter/Compressor/Compresseur                      |               | Danfoss    |      |
| Typ/Type                                               |               | TLES 97 K  |      |
| Förderleistung/Delivery/Débit                          | l/h           | 1170       |      |
| Anlaufstrom/Starting current/Cour de démarrage         | A             | 7,6        |      |
| Widerstand/Resistance/Résistance                       | Ha/main/prin. | Ω          | 16,5 |
|                                                        | Hi/aux        | Ω          | 16,9 |
| Temp.-Regler/Thermostat                                |               | Ranco      |      |
| Typ/Type                                               |               | K59        |      |
| Reglerstellung/Position                                |               | kalt       | warm |
| Schaltwerte/Switching values/                          | „ein“         | +5         | +5   |
| Valeurs de commutation                                 | „aus“         | -28        | -17  |
| („abtauen“ od.)                                        | „alarm“       |            |      |
| Füllmenge/Fill.quantity/Charge                         | R600a         | g          | 28   |
| Anschlußwert/Conn.load/Puiss. connectée                | W             | 90         |      |
| Heizung/Heater/Chauffage                               |               |            |      |
| Widerstand/Resistance/Résistance                       | Ω             |            |      |
| Leistung/Power/Puissance                               | W             |            |      |
| Ventilator/Blower/Ventilateur                          |               | MES F61-10 |      |
| Widerstand/Resistance/Résistance                       | Ω             | 680        |      |
| Schaltuhr/Timer/Minuterie de contact                   |               |            |      |
| Widerstand/Resistance/Résistance                       | Ω             |            |      |
| Magnetventil/Magnetic valve/Electrovanne               |               |            |      |
| Widerstand/Resistance/Résistance                       | Ω             |            |      |
| Spannung/Voltage/Tension                               | V             |            |      |